
SUBWOOFER


Two voice coils impedance 1Ω

1. One subwoofer | **Amplifier load 0.5Ω** (parallel)

Not recommended - only education purposes!




2. One subwoofer | **Amplifier load 2Ω** (series)




3. Two subwoofers | **Amplifier load 0.25Ω** (paralel)

Not recommended - only education purposes!



4. Two subwoofers | **Amplifier load 1Ω** (series/paralel)


Check amplifier specifications!



SUBWOOFER


Two voice coils impedance 1Ω

4. Two subwoofers | **Amplifier load 4Ω** (series)




5. Three subwoofers | **Amplifier load 0.16Ω** (parallel)

Not recommended - only education purposes!




6. Three subwoofers | **Amplifier load 0.66Ω** (parallel/series)

Not recommended - only education purposes!



7. Three subwoofers | **Amplifier load 1.5Ω** (parallel/series)

Check amplifier specifications!




SUBWOOFER

Two voice coils impedance 1Ω


6. Four subwoofers | **Amplifier load 0.5Ω** (parallel/series)

Not recommended - only education purposes!




7. Four subwoofers | **Amplifier load 1.5Ω** (parallel/series)

Check amplifier specifications!




8. Four subwoofers | **Amplifier load 2Ω** (parallel/series)



9. Three subwoofers | **Amplifier load 0.125Ω** (parallel/series)

Not recommended - only education purposes!



PATENT FOR EXCLUSIVE CONTROL, POSSESSION AND USE
MDS®